

ENLARGED WELDED MASTER LINKS + SUB-ASSEMBLIES -POWDER COATED FINISH

INSIDE WIDTH DIMENSIONS ARE OVER SIZED TO ACCEPT LARGE CRANE HOOKS

GRADE 100

WELDED MASTER LINKS

Part #	Trade Size	WLL 4:1 (lbs)	WLL 5:1 (lbs)	Weight (lbs)	Inside Dimensions (in)			Chain Size	
					i-length	i-width	dia	1 leg	2 leg
AX13	1/2	6,000	4,800	0.75	4.33	2.36	0.51	9/32" + 5/16"	7/32"
AX16W	5/8	8,600	6,880	1.47	5.51	3.15	0.63	5/16"	9/32"
AX18W	3/4 (11/16)	12,900	10,320	2.02	5.91	3.54	0.71	3/8"	5/16"
AX22	7/8	17,600	14,080	3.30	6.30	3.54	0.87	1/2"	3/8"
AX26	1	30,000	24,000	5.06	7.09	3.94	1.02	5/8"	1/2"
AX32	1-1/4	39,100	31,280	8.58	7.87	4.33	1.26	3/4"	5/8"
AX36	1-1/2	61,100	48,880	13.97	10.24	5.51	1.42	7/8"	3/4"
AX45	1-3/4	74,000	59,200	28.16	13.39	7.09	1.77	1"	7/8"
AX51	2	103,400	82,720	37.84	13.78	7.48	2.01	1 1/4"	1"
AX57	2-1/4	178,900	143,120	53.24	15.75	7.87	2.24	-----	1 1/4"



raised letter stamping



WELDED MASTER LINK ASSEMBLIES

Part #	Trade Size	WLL 4:1 (lbs)	WLL 5:1 (lbs)	Weight (lbs)	Inside Dim. Masters (in)			Inside Dim. Subs (in)			For Chain
					i-length	i-width	dia	i-length	i-width	dia	
AKX1813W	3/4 (11/16)	11,200	8,960	2.90	5.91	3.54	0.71	2.13	0.98	0.51	9/32"
AKX2216	7/8	15,200	12,160	4.88	6.30	3.54	0.87	2.76	1.34	0.63	9/32" + 5/16"
AKX2618	1	26,000	20,800	7.39	7.09	3.94	1.02	3.35	1.57	0.71	3/8"
AKX3222	1-1/4	39,000	31,200	13.24	7.87	4.33	1.26	4.53	1.97	0.87	1/2"
AKX3626	1-1/2	58,700	46,960	21.98	10.24	5.51	1.42	5.51	2.56	1.02	5/8"
AKX5132	2	91,700	73,360	51.26	13.78	7.48	2.01	5.91	2.76	1.26	3/4"
AKX5136	2	110,900	88,720	56.76	13.78	7.48	2.01	6.69	2.95	1.42	7/8"
AKX5740	2-1/4	155,100	124,080	77.44	15.75	7.87	2.24	6.69	3.15	1.57	1"



WELDED MASTER LINK ASSEMBLIES WITH EXTRA LARGE SUB-LINKS

Part #	Trade Size	WLL 4:1 (lbs)	WLL 5:1 (lbs)	Weight (lbs)	Inside Dim. Masters (in)			Inside Dim. Subs (in)			For Chain
					i-length	i-width	dia	i-length	i-width	dia	
AWX1813	3/4 (11/16)	11,200	8,960	3.52	5.91	3.54	0.71	4.33	2.36	0.51	9/32"
AWX2216	7/8	15,200	12,160	5.63	6.30	3.54	0.87	4.33	2.36	0.63	9/32" + 5/16"
AWX2618	1	26,000	20,800	8.58	7.09	3.94	1.02	5.31	2.95	0.71	3/8"
AWX3222	1-1/4	39,000	31,200	15.18	7.87	4.33	1.26	6.30	3.55	0.87	1/2"
AWX3626	1-1/2	58,700	46,960	24.09	10.24	5.51	1.42	7.09	3.94	1.02	5/8"



WELDED MASTER LINK ASSEMBLIES FOR LARGE CRANE HOOKS WITH LARGE SUB-LINKS

Part #	For Chain Size	WLL (lbs), 4:1 SF			Weight (lbs)	Inside Dim. Masters (in)			Inside Dim. Subs (in)		
		1 leg 90°	2 leg 60°	3+4 leg 60°		i-length	i-width	dia	i-length	i-width	dia
AWXO3016	9/32 - 5/16	5,700	9,900	14,800	14.37	13.40	7.10	1.18	4.33	2.36	0.63
AWXO3018	3/8	8,800	15,200	22,900	15.55	13.40	7.10	1.18	5.31	2.95	0.71
AWXO4022	1/2	15,000	26,000	39,000	28.60	13.40	7.10	1.57	6.30	3.54	0.87
AWXO4026	5/8	22,600	39,100	58,700	32.10	13.40	7.10	1.57	7.09	3.94	1.02



ALLOY CHAIN FITTINGS

GRADE 100

EYE SLING HOOK WITH FORGED LATCH

For Chain Size	Part #	Dimensions (in)								Weight (lbs)	WLL (lbs)
		A	A1	D	G	H	O	R			
7/32	CAX06SF	1.02	0.75	0.39	0.63	0.79	0.81	3.19	0.55	3,000	
9/32-5/16	CAX08SF	1.30	1.02	0.43	0.75	1.14	0.98	3.98	1.10	5,700	
3/8	CAX10SF	1.57	1.22	0.63	1.02	1.30	1.34	5.16	2.14	8,800	
1/2	CAX13SF	2.01	1.57	0.75	1.30	1.65	1.69	6.26	4.19	15,000	
5/8	CAX16SF	2.20	1.77	0.96	1.57	1.97	1.97	7.20	7.28	22,600	
3/4	CAX20SF	2.36	2.05	1.06	1.89	2.09	2.17	7.99	9.92	35,300	
7/8	CAX22SF	2.76	2.44	1.14	1.97	2.36	2.36	8.82	15.65	42,700	
1	CAX26SF	3.03	2.87	1.38	2.36	2.95	2.76	10.12	26.46	59,700	

CONNECTING LINK

For Chain Size	Part #	Dimensions (in)							Weight (lbs)	WLL (lbs)
		A	C	O	R	P	S			
7/32	CLX06	0.55	0.71	0.71	1.77	0.31	0.30	0.15	3,000	
9/32	CLX07	0.63	0.79	0.75	2.05	0.41	0.35	0.31	4,300	
5/16	CLX08	0.71	0.98	0.91	2.44	0.47	0.37	0.44	5,700	
3/8	CLX10	0.91	1.18	1.06	2.76	0.47	0.47	0.77	8,800	
1/2	CLX13	1.06	1.54	1.34	3.54	0.79	0.67	1.63	15,000	
5/8	CLX16	1.30	1.57	1.54	4.13	0.87	0.81	2.56	22,600	
3/4	CLX20	1.65	1.81	1.81	4.45	1.14	0.98	4.52	35,300	
7/8	CLX22	1.93	2.17	2.28	5.24	1.18	1.10	6.83	42,700	
1	CLX26	2.24	3.35	3.25	7.56	1.57	1.18	14.99	59,700	

CLEVIS SLING HOOK WITH FORGED LATCH

For Chain Size	Part #	Dimensions (in)										Weight (lbs)	WLL (lbs)
		A	A1	B	C	G	H	R	PxL				
7/32	CBX06SF	1.02	0.75	0.28	0.31	0.59	0.79	2.72	0.30x0.69		0.55	3,000	
9/32	CBX07SF	1.34	1.02	0.37	0.39	0.75	1.10	3.74	0.35x0.89		1.21	4,300	
5/16	CBX08SF	1.34	1.02	0.37	0.39	0.75	1.10	3.74	0.39x0.89		1.10	5,700	
3/8	CBX10SF	1.57	1.22	0.47	0.53	0.98	1.30	4.33	0.51x1.16		2.20	8,800	
1/2	CBX13SF	2.01	1.57	0.59	0.67	1.18	1.57	5.35	0.63x1.46		3.75	15,000	
5/8	CBX16SF	2.20	1.77	0.71	0.87	1.46	1.89	6.10	0.79x2.05		7.05	22,600	
3/4	CBX20SF	2.36	2.09	0.91	1.02	2.01	2.05	7.28	0.94x2.87		11.02	35,300	
7/8	CBX22SF	2.76	2.44	0.98	1.14	1.97	2.48	8.27	1.02x2.83		27.12	42,700	

CLEVIS GRAB HOOK WITH SADDLE

For Chain Size	Part #	Dimensions (in)										Weight (lbs)	WLL (lbs)
		A	B	C	G	H	R	M	PxL				
7/32	CFX06	0.31	0.31	0.35	0.87	0.87	1.99	1.40	0.30x0.69		0.44	3,000	
9/32	CFX07	0.39	0.39	0.45	1.18	1.10	2.58	1.85	0.35x0.89		0.97	4,300	
5/16	CFX08	0.39	0.39	0.43	1.18	1.10	2.56	1.85	0.39x0.89		0.97	5,700	
3/8	CFX10	0.51	0.51	0.59	1.73	1.34	3.15	2.17	0.51x1.24		2.12	8,800	
1/2	CFX13	0.67	0.67	0.69	2.09	1.85	4.15	3.19	0.63x1.65		4.63	15,000	
5/8	CFX16	0.75	0.75	0.72	2.52	2.36	4.40	3.62	0.83x2.03		7.50	22,600	
3/4	CFX20	0.93	0.91	0.87	3.35	2.56	4.65	3.94	0.94x2.42		11.46	35,300	
7/8	CFX22	1.02	1.02	0.98	3.62	2.68	6.06	4.72	1.02x2.83		17.20	42,700	

ALLOY CHAIN FITTINGS

GRADE 100

CLEVIS FOUNDRY HOOK

For Chain Size	Part #	Dimensions (in)								Weight (lbs)	WLL (lbs)
		A	B	C	G	H	R	PxL			
7/32	CYFX06	2.11	0.33	0.26	0.87	1.02	3.58	0.30x0.69	1.54	3,000	
9/32	CYFX07	2.52	0.39	0.45	1.02	1.22	4.74	0.35x0.89	2.43	4,300	
5/16	CYFX08	2.52	0.39	0.45	1.02	1.22	4.74	0.39x0.89	2.43	5,700	
3/8	CYFX10	2.99	0.51	0.59	1.18	1.34	5.16	0.51x1.24	3.75	8,800	
1/2	CYFX13	3.50	0.67	0.69	1.57	1.75	5.83	0.63x1.65	7.94	15,000	
5/8	CYFX16	3.98	0.75	0.85	1.77	1.99	7.81	0.83x2.03	12.35	22,600	

CLEVIS SELF LOCKING HOOK

For Chain Size	Part #	Dimensions (in)									Weight (lbs)	WLL (lbs)
		A	B	C	G	H	R	T	PxL			
7/32	CRFX06	1.10	0.28	0.31	0.63	0.83	3.70	1.38	0.30x0.69	1.10	3,000	
9/32	CRFX07	1.34	0.35	0.39	0.79	1.02	4.84	1.69	0.35x0.89	2.09	4,300	
5/16	CRFX08	1.34	0.35	0.39	0.79	1.02	4.84	1.69	0.39x0.89	2.09	5,700	
3/8	CRFX10	1.77	0.47	0.55	0.98	1.18	5.63	2.20	0.51x1.24	3.53	8,800	
1/2	CRFX13	2.01	0.59	0.67	1.38	1.57	7.09	2.72	0.63x1.65	7.05	15,000	
5/8	CRFX16	2.36	0.75	0.75	1.42	1.97	8.46	3.15	0.83x2.03	13.23	22,600	
3/4	CRFX20	2.76	0.91	1.02	2.36	2.64	9.96	3.54	0.94x2.87	21.61	35,300	
7/8	CRFX22	3.23	1.02	1.26	2.44	2.76	11.30	3.94	1.02x2.83	31.75	42,700	

EYE SELF LOCKING HOOK

For Chain Size	Part #	Dimensions (in)								Weight (lbs)	WLL (lbs)
		A	D	G	H	O	R	T			
7/32	CROX06	1.10	0.43	0.63	0.83	0.83	4.29	1.38	1.10	3,000	
9/32-5/16	CROX08	1.34	0.47	0.79	1.02	0.98	5.31	1.69	2.12	5,700	
3/8	CROX10	1.77	0.63	0.98	1.18	1.30	6.61	2.20	3.64	8,800	
1/2	CROX13	2.01	0.79	1.38	1.57	1.57	8.07	2.72	7.16	15,000	
5/8	CROX16	2.36	1.06	1.42	1.97	1.97	9.88	3.15	13.45	22,600	
3/4	CROX20	2.76	1.18	2.36	2.64	2.36	11.42	3.54	21.61	35,300	
7/8	CROX22	3.15	1.26	2.44	2.76	2.76	12.68	3.94	31.75	42,700	

SWIVEL SELF LOCKING HOOK

For Chain Size	Part #	Dimensions (in)								Weight (lbs)	WLL (lbs)
		A	B	O	D	G	H	R			
7/32	CRGX06	1.10	0.91	1.42	0.51	0.63	0.83	6.22	1.32	3,000	
9/32-5/16	CRGX08	1.34	1.06	1.42	0.51	0.79	1.02	7.17	2.43	5,700	
3/8	CRGX10	1.77	1.38	1.65	0.63	0.98	1.18	8.54	4.41	8,800	
1/2	CRGX13	2.13	1.69	1.97	0.83	1.38	1.57	10.67	8.82	15,000	
5/8	CRGX16	2.44	2.28	2.44	0.94	1.50	1.97	12.60	14.99	22,600	

Hook Markings:



Manufacturers brand name



Part Number

Size and Grade
7 for 7mm
10 for G100 (or 8 for G80)



Production Code



Hallmark H-92 & CE
(European quality markings)